



Nola > Products > Kajen



Kajen Park Bench

THOMAS BERNSTRAND

This park bench is characterised by a profile that appears to be crisp and alert, yet it invites those seated to relax. The seat and backrest made with maximum comfort in mind, and their slatted construction enables rain and water to run off easily. The armrests invite those seated to sit comfortably upright, or just sit back and relax. Seat heights and armrests optimised for use by individuals who may be less able. The laid-back luxury of this bench makes a unique addition to any public space.

The variants of Kajen park bench made in Linax-impregnated pine or sioo:x treated oak are certified with the *Nordic Swan Ecolabel*.


Certifieringar



 **SundaHus**

Produkt listad i
Svanens Husportal

 **BYGGHuset
BEDÖMNINGEN**



Dimensions and weight	Length: 120/180/300 cm Width: 55 cm Height: 90 cm Sitting height: 47 cm Depth: 55 cm Length: 120 cm, 180 cm or 300 cm Depth: 83 cm Seat height: 47 cm Total height: 90 cm INDIVIDUAL MEASUREMENTS The armrests measure 8 mm × 40 mm The legs measure 12 mm × 60 mm
-----------------------	--

Materials	Oiled Oak. Sioo-treated Oak. Cover-glazed Pine. Linax impregnated Pinewood. Mahogany. Zinc plated and powder coated steel. The legs and armrests are made in steel. All steel parts are galvanised and powder-coated in Noir 2200 Sablé. Other colours are available upon request. The slats are crafted in painted pine, oiled FSC-certified mahogany, oiled oak, Sioo-treated oak or Linseed oil treated pine.The standard colours for pine is white NCS S 0502-Y or light grey NCS S5502-B.
-----------	--

Standard colours	NCS S 5502-B	NCS S 0502-Y (Vit)
	Noir 2200 Sablé	
	Linaximpregnerad natur	
	Linax mörkbrun, ej standard.	
	Linax mörkgrå, ej standard.	

Product number	U16-90/120	Kajen backed
----------------	------------	--------------

	bench, park model, 120 cm version
U16-90/180	Kajen backed bench, park model, 180 cm version
U16-90/300	Kajen backed bench, park model, 300 cm version
U16-90-3	One armrest for Kajen backed bench, park model
U16-90mur/120	Kajen backed bench 1200 mm, wall-mounted
U16-90mur/180	Kajen backed bench 1800 mm, wall-mounted
U16-90mur/300	Kajen backed bench 3000 mm, wall-mounted
B11-06	Startup cost for powder coating steel in a color other than standard. Choose a RAL colour.
B11-07	Starting cost for another color of wood. Choose brown or grey for Linux or an NCS color for painted wood. If you want the same color on both steel and wood, choose the RAL color for both.

Optional product number prefixes

MM prefix for Nordic Swan Ecolabel.
Applies exclusively for wood types oak
and pine as well as Sioo:x and Linux
treated surfaces.

Additional description number

120 = 120 cm length

180 = 180 cm length

300 = 300 cm length

A for painted pine white NCS S 0502-Y

G for painted pine light grey NCS S 5502-B

C for painted pine your choice of color, start up fee.

MH for Mahogany

EK for oiled oak

SIOOEK for Sioo treated oak

LIN for Linseed oil treated pine.

Assembly and placement

The seat and frame should be assembled separately, then installed on site.

Must be bolted to the ground surface.

Maintenance

Stål och snickerier bättras med alkydfärg. Pulverlack går även att beställa på sprayflaska.

Underhåll av målad furu:

Det är viktigt att ni grundmålar om det har slitits bort grundfärg och träet är öppet. Bryt färgen i den NCS kulör som ni köpt möbler i. Glansen ska vara 30.

Oljad ek och oljad mahogny oljas minst en gång per år om man vill behålla träs rödbruna kulör.

Oljad ek grånar fläckvis (ibland med svarta prickar) och får med tiden en jämn grå färg.

Sioo behandlad ek är behandlad med Sioo Träskydd och Sioo Väderskydd. Efter ett år ska man behandla produkten en gång till med Sioo Väderskydd. Sioo behandlingen håller därefter i 8-10 år då

behandlingen ska upprepas. Sioo behandlad ek får en jämn ljusgrå ton.

Download our general maintenance advice

Variants

Three standard lengths: 120 cm, 180 cm and 300 cm

Character

A bench characterised by a profile that appears to be crisp and alert, yet it invites those seated to relax.







Sign up for our newsletter

Send



Contact

Head Office Stockholm

Nola Industrier AB
Box 17701
Repslagargatan 15b
118 93 Stockholm
Tel: 08-702 1960
Fax: 08-702 1962
headoffice@nola.se

Sales Office / Showroom Malmö

Nola Industrier AB
Neptunigatan 74
211 18 Malmö
Tel: 040 171 190

