

nola


Nola > Products > Korg – New Product!



Korg – New Product! Swing Sofa

DESIGN THOMAS BERNSTRAND

In response to an increased demand for swing sofas, the popular Korg series by Thomas Bernstrand is now complemented with a much-anticipated swinging sofa as an addition to the existing collection. The swing sofa is suspended from two bars attached to a sturdy A-shaped steel frame that is bolted to the ground. The mesh in the Korg series is valuable for many open outdoor spaces, making the furniture both low-maintenance and dry, as water doesn't accumulate in ways it does on larger surfaces. The seat and frame can be ordered in different colours for an extra exciting expression.



Dimensions and weight

Stand

Length: 220 cm
Width: 114 cm
Height: 182.5 cm
C-C: 206 cm x 100 cm

Sofa

Width: 130 cm
Depth: 61 cm
Seat height: 45 cm
Seat depth: 44 cm
Back rest: 52 cm

Material dimensions

Stand: Ø 50 mm
Luminaire: Ø 35 mm

Product numbers and combinations

U12-38

Korg Swing Sofa

Append to product number

METAL SURFACE FINISH

RAL 6025

C for any color other than standard,
starting cost is added.

INSTALLATION TYPE

N for surface mount.

Standard coloursRAL 6025

Materials and surface treatments**Steel**

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated. This is done through electro-galvanization and powder coating, hot-dip galvanizing, or application of a zinc powder primer.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Maintenance

Powdercoated steel

Products that are electro-galvanized and powder-coated can be touch-up painted with alkyd paint.

Download our general maintenance advice

Versions

Finns som soffa, fåtölj, bord, bänk men även som ett möbelsystem, se sidan för Korg möbelsystem.

Sign up for our newsletter

Send



Contact

Head Office Stockholm

Nola Industrier AB
Box 17701
Repslagargatan 15b
118 93 Stockholm
Tel: 08-702 1960
Fax: 08-702 1962
headoffice@nola.se

Sales Office / Showroom Malmö

Nola Industrier AB
Neptunigatan 74
211 18 Malmö
Tel: 040 171 190



Nola Industrier AB
Highest credit worthiness
© Bisnode 2022