



Product / Furnitures / Benches / Paxa bench

PAXA BENCH

Blenda Design

This low, lateral bench is understated in style, but strong in appeal. Like the other designs in the Paxa furniture suite, the bench's simple design reveals the beauty of the materials used to construct it. Streamlined lengths of pine form the seat and backrest, resting in the smooth concrete panels supporting the bench on either side. The bench is perfectly suited to contemporary settings, both indoor and outside.

Dimensions

Overall length: 180 cm
Overall height: 45 cm
Overall width: 50 cm
Weight: 150 kg

END FRAME

Length: 16 cm
Width: 50 cm
Height: 45 cm
Weight: 58 kg

T-FRAME

Length: 24 cm
Width: 50 cm
Height: 45 cm
Weight: 72 kg

SEAT

Length: 148 cm
Height: 11.5 cm
Width: 50 cm
Weight: 34 kg

Product number


U20-60 Paxa 1 bänk. Komplet, stativ i gråbetong.
U20-61 Paxa 1 ändstativ i gråbetong.
U20-62 Paxa 1 mittstativ, gråbetong.

U20-63 Paxa 1 bänksits.
U20-64 Paxa 2 bänk. Komplet, stativ i gråbetong.
U20-68 Paxa 3 bänk. Komplet, stativ i gråbetong.
U20-65 Paxa 2 & 3 ändstativ, gråbetong.
U20-66 Paxa 2 & 3 mittstativ, gråbetong.
U20-67 Paxa 2 bänksits.
U20-69 Paxa 3 bänksits.
U20-60R Paxa ryggstöd
U20-64R Paxa 2 och 3 ryggstöd
U20-60ARM Paxa armstöd
U20-64ARM Paxa armstöd (i kombination med ryggstöd).

U20-61-NO1 Mittstativ med planteringskär.
U20-61-NO2 Ändstativ med planteringskär.
U20-61-NO3 Mittstativ i vinkel. 22,5°.

Assembly	Delivered in parts for assembly on site. The seat attaches to the frame by the bolts included.
Variants	Available in oiled oak, oiled mahogany or alkyd enamel oil on pine, in standard colours. The bench can be matched with other pieces in the Paxa furniture suite. Steel-frame versions can be ordered, the product names are 'Paxa Steel 1' and 'Paxa Steel 2'.
Materials	The side supports are made in cast concrete and the seat frame is made in galvanized steel. The frames for the Paxa Steel 1 U20-75 and Paxa Steel 2 U20-76 are made in hot-dip galvanised steel.
Additional description number	A = Concrete supports in anthracite grey E = Oak T = Teak MH = Mahogany G = Pine painted in standard colour grey
Placement	The concrete side panels are equipped with downward-facing casings for ground-mounting. They enable the bench to stand evenly.
Maintenance	Oiled wood should be maintained regularly, at least twice a year. Both oak and mahogany will turn grey over time. Painted pine can be repainted with alkyd oil enamel as needed.
Character	Streamlined lengths of pine and smooth concrete form this bench, which reveals the beauty of the materials used to construct it.

NOLA INDUSTRIER AB





For 40 years, Nola Industrier has developed and honed ideas, products and visions for urban spaces. We collaborate with Sweden's leading designers and architects from concept to manufacture, with sustainable production taking place exclusively in Sweden. Nola stands for quality, aesthetic and sustainable design over time. We make urban environments a little bit more beautiful, and a whole lot easier to live in.

Head office:

Nola Industrier AB, Box 17701, Repslagargatan 15b, 118 39 Stockholm, Sweden, T +46 (0) 8-702 1960, F +46 (0) 8-702 1962, headoffice@nola.se

Customer service / showroom / export / press:

Skeppsbron 3, 211 20 Malmö, Sweden, T: +46 (0) 40 171 190, Orderfax: +46 (0) 40 127 545, order@nola.se, nola.se

Subscribe to our newsletter:



HÖGSTA
KREDITVÄRDIGHET
NOLA INDUSTRIER AB
556207-4442 | 2020-07-13