



Product / Furnitures / Suites of Furniture / Sidewalk furniture group

SIDEWALK FURNITURE GROUP

White and Andreas Sture

The Sidewalk furniture group is characterised by clean lines and precise angles that give it a contemporary character. The frames and legs are made from lengths of square steel treated with a silvery finish, complemented by wooden parts that showcase the beauty of painted wood. The seats and tabletop are supported by steel posts that bolt to the ground, creating a stable, immovable base.

Dimensions

BACKED BENCH

Length: 180 cm Depth: 47.5 cm Height: 87.4 cm Seat height: 46 cm Height of armrest: 68.5 cm Weight: 43.7 kg

BENCH

Length: 180 cm Depth: 40 cm Height: 74 cm Seat height: 46 cm Height of armrest: 68.5 cm Weight: 32

kg

TABLE

Length: 144 cm Depth: 70 cm Weight: 40.5 kg

Product number

U17-03 Sidewalk radiebench

U17-04 Sidewalk bench

U17-04/ARM Sidewalk bench with armrest U17-04/table Sidewalk table for bench

U17-05 Sidewalk backed bench

U17-06 Sidewalk table squere

U17-07 Sidewalk bord squere

U17-08 Sidewalk chair

U17-08/table Sidewalk small table


U17-09 Sidewalk armchair

U17-04/PUR Sidewalk bench with ribbs in

polyuretan

	U17-05/PUR Sidewalk bench with ribbs i polyuretan and back/arm bench The seat, tabletop and bench surfaces are preassembled. The seat requires attachment to the frame.			
Assembly				
Materials	Steel: Zinc plated, yellow chromated and powder coated.			
	Color: Wanzel Silver (Silver Metallic Glossy Smooth) RAL 7035 as standard.			
	Covered pine in colored Yellow RAL 1023 alt in oiled oak.			
	The bench and sofa are also available with			
	polyurutan seat ribs in the standard colors: gray black NCS 8502-B and dark green NCS S 8010-			
	G10Y.			
Additional description number	N for attachment			
	M for ground mounted			
	E for oiled oak GS for gray black seat in PUR.			
	GS for green seat in PUR.			
	C for any color, additional cost is added.			
Placement	The legs are extended by 40 cm to be cast directly into concrete.			
Maintenance	Scratches to powder-coated steel can be repainted with alkyd oil enamel. Oak is oiled regularly.			
Character	Characterised by clean lines and precise angles that give it a contemporary character.			

NOLA INDUSTRIER AB



For 40 years, Nola Industrier has developed and honed ideas, products and visions for urban spaces. We collaborates with Sweden's leading designers and architects from concept to manufacture, with sustainable production taking place exclusively in Sweden. Nola stands for quality, aesthetic and sustainable design over time. We make urban environments a little bit more beautiful, and a whole lot easier to live in.

Nola Industrier AB, Box 17701, Repsiagargatan 15b, 118 39 Stockholm, Sweden, T +46 (0) 8-702 1960, F +46 (0) 8-702 1962, headoffice@nola.se

Customer service / showroom / export / press: Skeppsbron 3, 211 20 Malmö, Sweden, T: +46 (0) 40 171 190, Orderfax: +46 (0) 40 127 545, order@nola.se, nola.se

Subscribe to our newsletter:

Fmail			





HÖGSTA KREDITVÄRDIGHET NOLA INDUSTRIER AB 556207-4442 | 2020-07-13